

170

Cordless& Mobile

Plantronics® M170 Series: Maximum Versatility

- Versatile headset converts from headband to over-the-ear style
- ➤ Noise-cancelling microphone for crystal clear calls
- ➤ Drive more safely with both hands on the wheel
- ➤ Easy hands-free conversations



The good news is business is good. The bad news is that it is a little too good. What you need is a way to get more done in a day.

A headset for your mobile or cordless phone can help. It frees your hands so you can work while you talk. No matter where you are. In your car.
On the road. At home.

Experience the freedom,
comfort and great sound quality
of a Plantronics headset.

Do more. Comfortably.





Maximum Versatility and Hands-Free Conversations

Plantronics® Headsets Deliver


- ➤ **Great sound.** Noise-cancelling microphone, Plantronics RF noise shield and microphone adjust switch deliver superior call clarity.
- ➤ Increased comfort. Talk longer without phone cradle discomfort.
- ➤ Hands-free safety. Drive more safely with both hands on the wheel.
- ➤ Hands-free productivity. Do other tasks and talk on the phone.

M170 Series Key Features

- ➤ Versatile headset converts from headband to over-the-ear style
- ➤ Adjustable microphone boom
- ➤ Noise-cancelling microphone for crystal clear calls
- ➤ Advanced speaker technology protects hearing
- ➤ Plantronics RF Noise Shield reduces annoying RF static
- ➤ Microphone adjust switch for optimal voice output
- ➤ Compatible with telecoil-equipped hearing aids
- ➤ Clothing clip for added stability



Easy volume and mute control (available on M175)



Important Adapter Information

Headset adapter is required if your mobile phone does not have a headset jack. For more information call 800-533-4014 or visit us on the web.

Product Specifications

Transmit Channel 1 KHz Sensitivity	
High	-40 dBV/Pa
Medium	-50 dBV/Pa
Low	-55 dBV/Pa
Frequency Response	300 – 3,300 Hz
Distortion	<5% THD
Directional Pattern	Cardioid
DC Current	<0.4 MA
Conditions	
AC Load	3.3K ohms
DC Bias resistance	3.3K ohms
DC Bias voltage	3.0 V
Microphone at in-use position	

Mechanical

Cable Length 4 ft. Headset Plug 2.5 mm

Specifications are subject to change.

Receive Channel

1 KHz Sensitivity	15 dBV/Pa
Frequency Response	300 - 3,300 Hz
Distortion	<5% THD
Input Impedance	150 ohms
Acoustic Limiting	<115 dBA free field
Conditions	

Source Impedance 10 ohms
Wearing Mode Headset or
over-the-ear

Measured at Drum Reference Position

Environmental

Operating Temp 4°C – 49°C

www.plantronics.ws

QUESTIONS?

1-800-533-4014





Plantronics Inc., 345 Encinal Street / Santa Cruz, CA 95060 / Phone: (800) 533-4014 / Fax: (800) 272-3297



