

# Leverhoists.com

Model	Product Code	Lift	Min. distance between hooks	Handle length	Handle pull at rated load	Unit weight
Bandit 3/4 ton	BAN07505	5	12.8"	9.63"	45	13.6
Bandit 3/4 ton	BAN07510	10	12.8"	9.63"	45	15.7
Bandit 3/4 ton	BAN07515	15	12.8"	9.63"	45	18
Bandit 3/4 ton	BAN07520	20	12.8"	9.63"	45	20.1
Bandit 1.5 ton	BAN15005	5	14.2"	10.25"	64	20.7
Bandit 1.5 ton	BAN15010	10	14.2"	10.25"	64	24.3
Bandit 1.5 ton	BAN15015	15	14.2"	10.25"	64	27.9
Bandit 1.5 ton	BAN15020	20	14.2"	10.25"	64	31.5
CM653 3.4 ton	5310	5	12 5/8"	9.25"	45	15
CM653 3/4 ton	5311	10	12 5/8"	9.25"	45	15.8
CM653 3/4 ton	5312	15	13 5/8"	9.25"	45	16.6
CM653 3/4 ton	5313	20	14 5/8"	9.25"	45	17.3
CM653 1 ton	5328	5	12 5/8"	9.25"	60	15
CM653 1.5 ton	5315	5	14 13/16"	13"	79	27
CM653 1.5 ton	5316	10	15 13/16"	13"	79	31.4
CM653 1.5 ton	5317	15	16 13/16"	13"	79	35.8
CM653 1.5 ton	5318	20	17 13/16"	13"	79	40.2
CM653 2 ton	5329	5	14 13/16"	13"	105	27
CM653 3 ton	5320	5	18 11/16"	15"	90	45
CM653 3 ton	5321	10	19 11/16"	15"	90	52.3
CM 602 1/4 ton	0210	5	9.45"	6.3"	58	6
CM 603 1/2 ton	0214	10	9.45"	6.3"	58	7
CM 603 1/2 ton	0215	5	11.125"	6.375"	56	7
CM 603 1/2 ton	0216	10	11.125"	6.375"	45	8
CM/Coffing LSB 3/4ton	09420W	5	11 7/16"	9.25"	46	14
CM/Coffing LSB 3/4ton	09421W	10	12 7/16"	9.25"	46	16
CM/Coffing LSB 3/4ton	09422W	15	13 7/16"	9.25"	46	18
CM/Coffing LSB 3/4ton	09423W	20	14 7/16"	9.25"	46	20
CM/Coffing LSB 1 ton	09425W	5	12 3/8"	9.25"	57	14
CM/Coffing LSB 1 ton	09426W	10	13 3/8"	9.25"	57	16
CM/Coffing LSB 1 ton	09427W	15	14 3/8"	9.25"	57	18
CM/Coffing LSB 1 ton	09428W	20	15 3/8"	9.25"	57	20
CM/Coffing LSB 1.5 ton	09430W	5	13"	14 9/16"	59	23
CM/Coffing LSB 1.5 ton	09431W	10	13"	15 9/16"	59	26
CM/Coffing LSB 1.5 ton	09432W	15	13"	16 9/16"	59	29
CM/Coffing LSB 1.5 ton	09433W	20	13"	17 9/16"	59	32
CM/Coffing LSB 3 ton	09440W	5	16 15/16"	14 9/16"	75	35
CM/Coffing LSB 3 ton	09441W	10	17 15/16"	15 9/16"	75	40
CM/Coffing LSB 3 ton	09442W	15	18 15/16"	16 9/16"	75	45
CM/Coffing LSB 3 ton	09443W	20	19 15/16"	17 9/16"	75	50

# Leverhoists.com

Model	Product Code	Lift	Min. distance between hooks	Handle length	Handle pull at rated load	Unit weight
Coffing PA 3/4 ton	08460W	5	12"	12"	37	16
Coffing PA 3/4 ton	08461W	10	12"	12"	37	18
Coffing PA 3/4 ton	08462W	15	12"	12"	37	20
Coffing PA 3/4 ton	09463W	20	12"	12"	37	22
Coffing PA 1 ton	08465w	5	13"	12"	49	16
Coffing PA 1 ton	08466w	10	13"	12"	49	18
Coffing PA 1 ton	08467w	15	13"	12"	49	20
Coffing PA 1 ton	08468w	20	13"	12"	49	22
Coffing PA 1.5 ton	08470w	5	14.5"	12"	41	26
Coffing PA 1.5 ton	08471w	10	14.5"	12"	41	30
Coffing PA 1.5 ton	08472w	15	14.5"	12"	41	34
Coffing PA 1.5 ton	08473w	20	14.5"	12"	41	38
Coffing PA 3 ton	08475w	5	17.5"	16"	61	43
Coffing PA 3 ton	08476w	10	17.5"	16"	61	50
Coffing PA 3 ton	08477w	15	17.5"	16"	61	57
Coffing PA 3 ton	08478w	20	17.5"	16"	61	64
CM Short Handle Puller 3/4 ton	7300P	5	12.25"	12"	45	16
CM Short Handle Puller 3/4 ton	7335P	10	12.25"	12"	45	18
CM Short Handle Puller 3/4 ton	7336P	20	12.25"	12"	45	22
CM Short Handle Puller 1.5 ton	7320P	5	14.75"	16.75"	55	27
CM Short Handle Puller 1.5 ton	7340P	10	14.75"	16.75"	55	29
CM Short Handle Puller 1.5 ton	7341P	20	14.75"	16.75"	55	33
CM Short Handle Puller 3 ton	7330P	5	17 5/8"	16.75"	62	40
CM Short Handle Puller 3 ton	7350P	10	18 5/8"	16.75"	62	42
CM Short Handle Puller 3 ton	7351P	20	19 5/8"	16.75"	62	46
Ingersoll Rand L5H 3/4 ton	L5H150-5	5	12.3"	10.1"	35	15
Ingersoll Rand L5H 3/4 ton	L5H150-10	10	12.3"	10.1"	35	17
Ingersoll Rand L5H 3/4 ton	L5H150-15	15	12.3"	10.1"	35	19
Ingersoll Rand L5H 3/4 ton	L5H150-20	20	12.3"	10.1"	35	21
Ingersoll Rand L5H 1 ton	L5H200-5	5	12.3"	10.1"	43	16
Ingersoll Rand L5H 1 ton	L5H200-10	10	12.3"	10.1"	43	18
Ingersoll Rand L5H 1 ton	L5H200-15	15	12.3"	10.1"	43	20
Ingersoll Rand L5H 1 ton	L5H200-20	20	12.3"	10.1"	43	22
Ingersoll Rand L5H 1.5 ton	L5H300-5	5	13.8"	14.5"	40	21
Ingersoll Rand L5H 1.5 ton	L5H300-10	10	13.8"	14.5"	40	23
Ingersoll Rand L5H 1.5 ton	L5H300-15	15	13.8"	14.5"	40	25
Ingersoll Rand L5H 1.5 ton	L5H300-20	20	13.8"	14.5"	40	27
Ingersoll Rand L5H 2 ton	L5H400-5	5	13.8"	14.5"	49	22
Ingersoll Rand L5H 2 ton	L5H400-10	10	13.8"	14.5"	49	24
Ingersoll Rand L5H 2 ton	L5H400-15	15	13.8"	14.5"	49	26
Ingersoll Rand L5H 2 ton	L5H400-20	20	13.8"	14.5"	49	28
Ingersoll Rand L5H 3 ton	L5H600-5	5	16.8"	14.5"	73	34

# Leverhoists.com

Model	Product Code	Lift	Min. distance between hooks	Handle length	Handle pull at rated load	Unit weight
Ingersoll Rand L5H 3 ton	L5H600-10	10	16.8"	14.5"	73	36
Ingersoll Rand L5H 3 ton	L5H600-15	15	16.8"	14.5"	73	38
Ingersoll Rand L5H 3 ton	L5H600-20	20	16.8"	14.5"	73	40
Ingersoll Rand LV 3/4 ton	LV150-5	5	11.6"	9.8"	35	15
Ingersoll Rand LV 3/4 ton	LV150-10	10	11.6"	9.8"	35	17
Ingersoll Rand LV 3/4 ton	LV150-15	15	11.6"	9.8"	35	19
Ingersoll Rand LV 3/4 ton	LV150-20	20	11.6"	9.8"	35	21
Ingersoll Rand LV 1.5 ton	LV300-5	5	12.8"	14.2"	40	21
Ingersoll Rand LV 1.5 ton	LV300-10	10	12.8"	14.2"	40	23
Ingersoll Rand LV 1.5 ton	LV300-15	15	12.8"	14.2"	40	25
Ingersoll Rand LV 1.5 ton	LV300-20	2	12.8"	14.2"	40	27
Ingersoll Rand LV 3 ton	LV600-5	5	15.6"	14.2"	73	34
Ingersoll Rand LV 3 ton	LV600-10	10	15.6"	14.2"	73	36
Ingersoll Rand LV 3 ton	LV600-15	15	15.6"	14.2"	73	38
Ingersoll Rand LV 3 ton	LV600-20	20	15.6"	14.2"	73	40
Ingersoll Rand SLB 3/4 ton	SLB150-5	5	13"	12.1"	41	16
Ingersoll Rand SLB 3/4 ton	SLB150-10	10	13"	12.1"	41	18
Ingersoll Rand SLB 3/4 ton	SLB150-15	15	13"	12.1"	41	20
Ingersoll Rand SLB 3/4 ton	SLB150-20	20	13"	12.1"	41	22
Ingersoll Rand SLB 1.5 ton	SLB300-5	5	15.7"	14.9"	53	24
Ingersoll Rand SLB 1.5 ton	SLB300-10	10	15.7"	14.9"	53	26
Ingersoll Rand SLB 1.5 ton	SLB300-15	15	15.7"	14.9"	53	28
Ingersoll Rand SLB 1.5 ton	SLB300-20	20	15.7"	14.9"	53	30
Ingersoll Rand SLB 3 ton	SLB600-5	5	20.5"	16.5"	53	44
Ingersoll Rand SLB 3 ton	SLB600-10	10	20.5"	16.5"	53	46
Ingersoll Rand SLB 3 ton	SLB600-15	15	20.5"	16.5"	53	48
Ingersoll Rand SLB 3 ton	SLB600-20	20	20.5"	16.5"	53	50
AMH LA 3/4 ton, USA chain	LA008-05U	5	13.4"	10.5"	47	15
AMH LA 3/4 ton, USA chain	LA008-10U	10	13.4"	10.5"	47	18
AMH LA 3/4 ton, USA chain	LA008-15U	15	13.4"	10.5"	47	21
AMH LA 3/4 ton, USA chain	LA008-20U	20	13.4"	10.5"	47	24
AMH LA 1 ton, USA chain	LA010-05U	5	13.4"	12.1"	51	15
AMH LA 1 ton, USA chain	LA010-10U	10	13.4"	12.1"	51	18
AMH LA 1 ton, USA chain	LA010-15U	15	13.4"	12.1"	51	21
AMH LA 1 ton, USA chain	LA010-20U	20	13.4"	12.1"	51	24
AMH LA 1.75 ton, USA chain	LA016-05U	5	15.7"	14"	66	24
AMH LA 1.75 ton, USA chain	LA016-10U	10	15.7"	14"	66	28
AMH LA 1.75 ton, USA chain	LA016-15U	15	15.7"	14"	66	32
AMH LA 1.75 ton, USA chain	LA016-20U	20	15.7"	14"	66	36
AMH LA 2.25 ton, USA chain	LA020-05U	5	18.1"	14"	66	36
AMH LA 2.25 ton, USA chain	LA020-10U	10	18.1"	14"	66	40

# Leverhoists.com

Model	Product Code	Lift	Min. distance between hooks	Handle length	Handle pull at rated load	Unit weight
AMH LA 2.25 ton, USA chain	LA020-15U	15	18.1"	14"	66	44
AMH LA 2.25 ton, USA chain	LA020-20U	20	18.1"	14"	66	48
AMH LA 2.75 ton, USA chain	LA025-05U	5	19.1"	14"	74	38
AMH LA 2.75 ton, USA chain	LA025-10U	10	19.1"	14"	74	42
AMH LA 2.75 ton, USA chain	LA025-15U	15	19.1"	14"	74	46
AMH LA 2.75 ton, USA chain	LA025-20U	20	19.1"	14"	74	50
AMH LA 3.5 ton, USA chain	LA032-05U	5	20.5"	16.5"	72	45
AMH LA 3.5 ton, USA chain	LA32-10U	10	20.5"	16.5"	72	49
AMH LA 3.5 ton, USA chain	LA032-15U	15	20.5"	16.5"	72	53
AMH LA 3.5 ton, USA chain	LA032-20U	20	20.5"	16.5"	72	57
AMH LA 3/4 ton	LA008-05	5	13.4"	10.5"	47	15
AMH LA 3/4 ton	LA008-10	10	13.4"	10.5"	47	18
AMH LA 3/4 ton	LA008-15	15	13.4"	10.5"	47	21
AMH LA 3/4 ton	LA008-20	20	13.4"	10.5"	47	24
AMH LA 1 ton	LA010-05	5	13.4"	12.1"	51	15
AMH LA 1 ton	LA010-10	10	13.4"	12.1"	51	18
AMH LA 1 ton	LA010-15	15	13.4"	12.1"	51	21
AMH LA 1 ton	LA010-20	20	13.4"	12.1"	51	24
AMH LA 1.75 ton	LA016-05	5	15.7"	14"	66	24
AMH LA 1.75 ton	LA016-10	10	15.7"	14"	66	28
AMH LA 1.75 ton	LA016-15	15	15.7"	14"	66	32
AMH LA 1.75 ton	LA016-20	20	15.7"	14"	66	36
AMH LA 2.25 ton	LA020-05	5	18.1"	14"	66	36
AMH LA 2.25 ton	LA020-10	10	18.1"	14"	66	40
AMH LA 2.25 ton	LA020-15	15	18.1"	14"	66	44
AMH LA 2.25 ton	LA020-20	20	18.1"	14"	66	48
AMH LA 2.75 ton	LA025-05	5	19.1"	14"	74	38
AMH LA 2.75 ton	LA025-10	10	19.1"	14"	74	42
AMH LA 2.75 ton	LA025-15	15	19.1"	14"	74	46
AMH LA 2.75 ton	LA025-20	20	19.1"	14"	74	50
AMH LA 3.5 ton	LA032-05	5	20.5"	16.5"	72	45
AMH LA 3.5 ton	LA32-10	10	20.5"	16.5"	72	49
AMH LA 3.5 ton	LA032-15	15	20.5"	16.5"	72	53
AMH LA 3.5 ton	LA032-20	20	20.5"	16.5"	72	57
AMH Mini 1/4 ton	ML003-5	5	8.5"	6.2"	28	5
AMH Mini 1/4 ton	ML003-10	10	8.5"	6.2"	28	8
AMH Mini 1/2 ton	ML005-5	5	10"	7.1"	40	8
AMH Mini 1/2 ton	ML005-10	10	10"	7.1"	40	11

# Leverhoists.com

Model	Product Code	Lift	Min. distance between hooks	Handle length	Handle pull at rated load	Unit weight
IR Kinetic KL 3/4 ton	KL075-5	5	11"	9.6"	48	14
IR Kinetic KL 3/4 ton	KL075-10	10	11"	9.6"	48	17
IR Kinetic KL 3/4 ton	KL075-15	15	11"	9.6"	48	20
IR Kinetic KL 3/4 ton	KL075-20	20	11"	9.6"	48	23
IR Kinetic KL 1 ton	KL100-5	5	11.8"	9.6"	66	14
IR Kinetic KL 1 ton	KL100-10	10	11.8"	9.6"	66	17
IR Kinetic KL 1 ton	KL100-15	15	11.8"	9.6"	66	20
IR Kinetic KL 1 ton	KL100-20	20	11.8"	9.6"	66	23
IR Kinetic KL 1.5 ton	KL150-5	5	13.2"	10.4"	68	19
IR Kinetic KL 1.5 ton	KL150-10	10	13.2"	10.4"	68	23
IR Kinetic KL 1.5 ton	KL150-15	15	13.2"	10.4"	68	27
IR Kinetic KL 1.5 ton	KL150-20	20	13.2"	10.4"	68	31
IR Kinetic KL 3 ton	KL300-5	5	15.6"	16.3"	84	31
IR Kinetic KL 3 ton	KL300-10	10	15.6"	16.3"	84	39
IR Kinetic KL 3 ton	KL300-15	15	15.6"	16.3"	84	47
IR Kinetic KL 3 ton	KL300-20	20	15.6"	16.3"	84	55
IR Sidekick KX 1/4 ton	KX025-5	5	7.9"	5.7"	N/A	4
IR Sidekick KX 1/4 ton	KX025-10	10	7.9"	5.7"	N/A	5
IR Sidekick KX 1/2 ton	KX050-5	5	9.8"	6.3"	N/A	6
IR Sidekick KX 1/2 ton	KX050-10	10	9.8"	6.3"	N/A	7
IR Sidekick KX 3/4 ton	KX075-5	5	10.2"	7.1"	N/A	8
IR Sidekick KX 3/4 ton	KX075-10	10	10.2"	7.1"	N/A	10
Harrington LB 3/4 Ton	LB008-5	5	11"	9.6"	54	13
Harrington LB 3/4 Ton	LB008-10	10	11"	9.6"	54	16
Harrington LB 3/4 Ton	LB008-15	15	11"	9.6"	54	19
Harrington LB 3/4 Ton	LB008-20	20	11"	9.6"	54	22
Harrington LB 1 ton	LB010-5	5	11.8"	9.6"	72	14
Harrington LB 1 ton	LB010-10	10	11.8"	9.6"	72	17
Harrington LB 1 ton	LB010-15	15	11.8"	9.6"	72	20
Harrington LB 1 ton	LB010-20	20	11.8"	9.6"	72	23
Harrington LB 1.5 ton	LB015-5	5	13.2"	10.4"	64	18
Harrington LB 1.5 ton	LB015-10	10	13.2"	10.4"	64	23
Harrington LB 1.5 ton	LB015-15	15	13.2"	10.4"	64	28
Harrington LB 1.5 ton	LB015-20	20	13.2"	10.4"	64	33
Harrington LB 2 ton	LB020-5	5	14.8"	10.4"	59	26
Harrington LB 2 ton	LB020-10	10	14.8"	10.4"	59	31
Harrington LB 2 ton	LB020-15	15	14.8"	10.4"	59	36
Harrington LB 2 ton	LB020-20	20	14.8"	10.4"	59	41
Harrington LB 3 ton	LB030-5	5	15.6"	16.3"	69	35
Harrington LB 3 ton	LB030-10	10	15.6"	16.3"	69	43
Harrington LB 3 ton	LB030-15	15	15.6"	16.3"	69	51
Harrington LB 3 ton	LB030-20	20	15.6"	16.3"	69	59

# Leverhoists.com

Model	Product Code	Lift	Min. distance between hooks	Handle length	Handle pull at rated load	Unit weight
Harrington LB 6 ton	LB060-5	5	21.3"	16.3"	72	60
Harrington LB 6 ton	LB060-10	10	21.3"	16.3"	72	76
Harrington LB 6 ton	LB060-15	15	21.3"	16.3"	72	92
Harrington LB 6 ton	LB060-20	20	21.3"	16.3"	72	108
Harrington LX 1/4 ton	LX003-5	5	8.1"	5.9	40	4
Harrington LX 1/4 ton	LX003-10	10	8.1"	5.9	40	6
Harrington LX 1/4 ton	LX003-15	15	8.1"	5.9	40	8
Harrington LX 1/4 ton	LX003-20	20	8.1"	5.9	40	10
Harrington LX 1/2 ton	LX005-5	5	9.7"	7.1"	62	6
Harrington LX 1/2 ton	LX005-10	10	9.7"	7.1"	62	8
Harrington LX 1/2 ton	LX005-15	15	9.7"	7.1"	62	10
Harrington LX 1/2 ton	LX005-20	20	9.7"	7.1"	62	12